

2018

Woodlea Communications Inc.

## Premium 2Way Accessory Catalog

Woodlea Communications Inc.  
613-793-7514  
[Robert@woodleacommunications.com](mailto:Robert@woodleacommunications.com)

# Table of Contents

---

Page 3 .....	Naming Convention
Page 4 & 5 .....	<b>BRAIDED FIBER CLOTH</b> Earpieces
Page 6 & 7 .....	<b><i>SnapLock System</i></b> Earpieces
Page 8 .....	Acoustic Tube Earpieces
Page 9 .....	Ear Hook Earpieces
Page 10 .....	D-Rings and Ear Bud Earpieces
Page 11 .....	Swivel Earpieces
Page 12 & 13 .....	<b>Wrap-Tight</b> Earpieces
Page 14 & 15 .....	Retail Swivel Earpieces
Page 16 & 17 .....	Knowles Hi-Def Earpieces
Page 18 & 21 .....	Speaker Microphones
Page 22 & 23 .....	Receive Only Earpieces
Page 24 .....	Noise Cancelling Knowles Hi-Def Headsets
Page 25 .....	Light Weight Headsets
Page 26 - 29 .....	Heavy Duty Headsets
Page 30 .....	Adaptors
Page 31 .....	Hirose™ Adaptors and Accessories
Page 32 & 33 .....	POC Earpieces
Page 34 & 35 .....	Sonim Earpieces
Page 36 .....	Acoustic Tube Ear Tips & Parts
Page 37 .....	Earpiece & Headset Parts
Page 38 .....	Radio & Hirose Adaptors
Page 39 .....	Speaker & Battery Parts
Pages 40-45 .....	Connector Charts

## Earpieces

<b>AT</b>	Acoustic Tube
<b>ATS</b>	Acoustic Tube Straight
<b>SWVL</b>	Swivel
<b>EH</b>	Ear Hook
<b>EHLG</b>	Ear Hook Large
<b>DR</b>	D-Ring
<b>DRA</b>	D-Ring Adjustable
<b>EB</b>	Ear Bud
<b>SL</b>	SnapLock

## Examples

AT1W = Acoustic Tube 1 Wire

AT1W-M = Acoustic Tube 1 Wire with  
Motorola M Connector

## Receive Only Earpieces

<b>ROC</b>	Receive Only Coiled Wire
<b>ROS</b>	Receive Only Straight Wire

ATROC15 = Acoustic Tube Coil 15mm

ATROC15-3.5 = Receive Only Acoustic  
Tube Coiled Wire with 3.5 Connector

## Earpice Type

<b>+</b>	Braided Fiber
<b>1W</b>	1 Wire In-Line PTT
<b>1WB</b>	1 Wire Lines Out Bottom Of PTT
<b>2W</b>	2 Wire
<b>3W</b>	3 Wire

AT+2W = Acoustic Tube Braided 2 Wire

AT+2W-M12 = Acoustic Tube Braided  
Fiber 2 Wire with Motorola M12 Connector

## Speaker Mics

<b>SM</b>	Speaker Mic
<b>W</b>	Water Proof
<b>NC</b>	Noice Cancelling

SM6W = Speaker Mic 6 Water Proof

SM6W-K = Speaker Mic 6 Water Proof  
with K Connector

## Headsets

<b>HS</b>	Headset
<b>HSS</b>	Headset Single Ear
<b>HSD</b>	Headset Double Ear
<b>HSB</b>	Headset Behind Head
<b>HSBHD</b>	Headset Behind Head Heavy Duty
<b>HSIE</b>	Headset In Ear

HSS = Headset Single Ear

HSS-Y3 = Headset Single Ear with  
Vertex Y3 Connector

## Parts

<b>AD</b>	Adaptor
<b>ETIP</b>	Ear Tip
<b>BC</b>	Belt Clip

AD-M12-M = Adaptor for Motorola M12  
(Multi-Pin) to M (Single Pin)

# **BRAIDED FIBER CLOTH**

## **Earpieces**



**The Original**  
End Users Love Them



**3 x Stronger**  
Than traditional resin line

- 90 pound pull-strength
- Lays tangle-free
- More comfortable
- Over 6 years of satisfied customers

**KEVLAR**

Cords on All Ear Pieces

# BRAIDED FIBER CLOTH Earpieces

So comfortable and strong, you'll never think about radio accessories the same way again.



- Improved strength over our standard resin earpieces
- Enhanced comfort and durability
- Lays tangle-free
- Microphone with RF shielding
- Noise cancelling mic on the **BRAIDED FIBER CLOTH SnapLock** 2 Wire and Acoustic Tube 2 Wire products



**BRAIDED FIBER CLOTH SnapLock**  
1 Wire  
**SL+1W**



**BRAIDED FIBER CLOTH SnapLock**  
2 Wire  
**SL+2W**



**BRAIDED FIBER CLOTH Acoustic Tube**  
1 Wire  
**AT+1W**



**BRAIDED FIBER CLOTH Acoustic Tube**  
2 Wire  
**AT+2W**



**BRAIDED FIBER CLOTH Earhook**  
1 Wire  
**EH+1W**



**BRAIDED FIBER CLOTH D-RING ADJUSTABLE**  
1 Wire  
**DRA+1W**



**BRAIDED FIBER CLOTH Swivel**  
1 Wire  
**SWVL+1W**

## KEVLAR

Cords on All Ear Pieces

## BRAIDED FIBER CLOTH

### SnapLock

#### 1 Wire

#### SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector

## BRAIDED FIBER CLOTH

### SnapLock

#### 2 Wire

#### SL+2W



- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male **SnapLock** connector



High-quality  
**SnapLock**  
metal-to-metal  
connector

### SnapLock

#### 1 Wire

#### SL1W

- A straight through in-line PTT with microphone
- With male **SnapLock** connector



### SnapLock

#### 2 Wire

#### SL2W

- Clip-on PTT with microphone
- With male **SnapLock** connector

### SnapLock

#### 3 Wire

#### SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male **SnapLock** connector



## Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

## KEVLAR

Cords on All Ear Pieces



# SNAPLOCK

## EARPIECE SYSTEM



### **SnapLock** Covert Ear Tips

**SL-ET+2-W** - White

**SL-ET+2-B** - Black



### **SnapLock** In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip

**SL-HDIEF** - Foam Tip



### **SnapLock** Swivel

**SL-SWVL**



### **SnapLock** Bone Conduction

**SL-BC** - Hearing Aid



### **SnapLock** High-Def Acoustic Tube

**SL-ATHD+** - Knowles Speaker



### **SnapLock** Ear Hook

**SL-EH** - Standard

**SL-EHLG** - large speaker



### **SnapLock** D-Ring

**SL-DRA** - Adjustable

**SL-DR** - Standard



### **SnapLock** Acoustic Tube

**SL-AT** - Premium Acoustic Tube

**SL-ATR** - Economically Priced for  
retail and hospitality



## BRAIDED FIBER CLOTH Acoustic Tube 1 Wire

### AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

## Acoustic Tube 1 Wire

### AT1W



- A straight through in-line PTT with microphone
- Surgical tubing with UV protection

## Acoustic Tube 2 Wire

### AT2W



- Clip-on PTT with microphone
- Surgical tubing with UV protection

## BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

### AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

## Acoustic Tube 1 Wire Straight Tube

### ATS1W - Straight acoustic tube v high output speaker



- A straight through in-line PTT with microphone
- Surgical tubing
- Sleek design for low-profile
- Bullet style PTT

## Acoustic Tube 3 Wire

### AT3W



- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone

[See Replacement Parts on Acoustic Parts Page](#)

## Features

- Industry leading 30lb pull-strength
- Quick disconnect clip – secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes – hygienic quick and easy swap between multiple users sharing equipment

**KEVLAR**

[Cords on All Ear Pieces](#)



## Ear Hook Earpieces

### BRAIDED FIBER CLOTH

#### Ear Hook 1 Wire

**EH+1W**

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/microphone with added shielding



#### Ear Hook 1 Wire

**EH1W**

- A straight through in-line PTT with microphone



#### Ear Hook 2 Wire

**EH2W**

- Clip-on PTT with microphone



#### Ear Hook with large speaker

**EHLG1W**

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



## Features

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces

### D-Ring Adjustable 1 Wire **DRA1W**

- A straight through in-line PTT with microphone



Removable  
protective  
cover



### D-Ring 1 Wire **DRIW**

- A straight through in-line PTT with microphone

### Ear Bud 1 Wire **EB1W**

- A straight through in-line PTT with microphone



## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces

### **BRAIDED FIBER CLOTH Swivel 1 Wire SWVL+1W**

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



### **Swivel 1 Wire SWVL1W**

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users

### **Swivel 2 Wire SWVL2W**

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear - increased hygiene for multi-users



## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

**KEVLAR**

Cords on All Ear Pieces



## NEW **WRAP-TIGHT** Adjustable Sizing Earpiece

NEW

### Swivel Wrap-Tight

**SWVLWT1W**

- A straight through in-line PTT with microphone





# NEW **WRAP-TIGHT**

**NEW**



## Ear Hook **Wrap-Tight**

**EHWT1W**

- A straight through in-line PTT with microphone

- **Make it long or make it short**
- **Wrap up the extra line for a perfect fit**
- **Premium in-line microphone**
- **Strong rotating clothing clip**

## **KEVLAR**

Cords on All Ear Pieces

## Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector



NEW

# NEW RETAIL SWIVEL

Available For:

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)




## RETAIL CONNECTORS

Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)







WORN BY RETAILERS NATIONWIDE

NEW

# NEW

# “HIGH-DEF” SPEAKER

# EAR PIECES





**Premium Speakers**

Speaker Size on Dime

**SnapLock**  
Hi-Def Knowles In-Ear  
**SL-HD+IEG**

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



**SnapLock**  
Hi-Def Knowles In-Ear  
**SL-HDIEF**

- Foam Ear Tip
- Mechanical On/Of Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



**SnapLock**  
Hi-Def Acoustic Tube  
Knowles Speaker  
**SL-ATHD+**

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



  
**Premium Speakers**  
**Engineered specifically**  
**for Voice Quality**



# NEW “HI-DEF” RECEIVE ONLY ACOUSTIC TUBE

NEW



Available Now!



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips

Item: ATHDROC30-3.5

Speaker Size On A Dime



# NEW “HI-DEF” SNAPLOCK ACOUSTIC TUBE


NEW

Available Now!

Item: SL-ATHD+



- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Works with all **SnapLock** Base PTT Systems
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



Speaker Size On A Dime



## Best Selling Speaker Microphone 6 Series

### SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long heavy-duty cord



3.5mm accessory  
port on the side

360 degree rotating  
clothing clip



### SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"



### SM6WL

- Same features as above SM6W
- Extra-long heavy-duty cord



### SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



## Battery Powered Speaker Mic

### SM17

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator - Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery
- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory  
port on the side

Micro USB  
Charging Port



# KEVLAR

Cords on All Speaker Mics



# SPEAKER MIC

Multiple styles for each user



Compact, heavy-duty design  
4.9mm fire retardant cable  
3.5mm audio accessory port  
Heavy gauge coiled cord  
Dimensions: 2.25"x.8"x2"

# **SM6W**  
3.5 Audio  
Earpieces Port

Emergency Button Optional



**IP67**  
Speaker Mic Rating

**WATER AND DUST PROOF**



ENGINEERED FOR ENHANCED AUDIO  
PERFORMANCE AND DURABILITY  
**INDEPENDENT LAB TEST RATING IP67**  
4.9mm FIRE RETARDANT CABLE

## Compact Size

### SM1

- Dimensions: 2.1" x 1" x 2.7"



3.5mm accessory  
port on the side  
360 degree rotating  
clothing clip



## Standard Size

### SM2

- Dimensions: 2.3" x 1.1" x 3"



3.5mm accessory  
port on the side  
360 degree rotating  
clothing clip



## Compact Size

### SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



3.5mm accessory  
port on the bottom  
360 degree rotating  
clothing clip



## Heavy Duty

### SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

### SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack



3.5mm accessory  
port on the bottom  
- SM4 model only  
360 degree rotating  
clothing clip



## Mobile Palm Mic

### PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



**KEVLAR**

Cords on All Speaker Mics





# NEW MOBILE PALM MIC

NEW



- Superior Audio Quality
- Fits All Kenwood Mobiles Using RJ45
- Durable Long Lasting Cable
- Includes Mobile Hang-Up Clip



## RECEIVE ONLY - LENGTH OPTIONS



**YOUR CHOICE OF COMFORTABLE AND RELIABLE EARPIECES**

Full View

**Ear Tip Optional Parts**



ATROC10



4 Inch Length

ATROC15



6 Inch Length

ATROC30



12 Inch Length

ATROS120



48 Inch Length

Available in 2.5mm or 3.5mm audio pin

**RO**  
Receive Only

**2.5 or 3.5**  
millimeter  
connectors

LENGTH OPTIONS		
Shoulder Mics	4 inch	10 cm
Shoulder Mics	6 inch	15 cm
Chest Mics	12 inch	30 cm
Hip Mics	48 inch	120 cm

## NEW "HI-DEF" RECEIVE ONLY ACOUSTIC TUBE

**NEW**



**Available Now!**

Item: ATHDROC30-3.5



**Speaker Size On A Dime**



**knowles**  
Life above the noise

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removeable Clip
- Replaceable Acoustic Tube - Screw In
- Comes with Three Ear Tips



## Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm  
ATHDROC30-3.5 12 in long w/ 3.5mm



## Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.5 9.5in long w/ 2.5mm  
HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



## Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm  
ATROC15-2.5 6in long w/ 2.5mm  
ATROC10-3.5 4in long w/ 3.5mm  
ATROC15-3.5 6in long w/ 3.5mm  
ATROC30-2.5 12in long w/ 2.5mm  
ATROC30-3.5 12in long w/ 3.5mm  
ATROC120 48in long w/ 3.5mm



## Ear Bud Receive Only

EBROC15-2.5 6in long w/ 2.5mm  
EBROC15-3.5 6in long w/ 3.5mm



## D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm  
DRROC15-3.5 6in long w/ 3.5mm



## D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm  
DRAROC15-3.5 6in long w/ 3.5mm



## Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm  
EHROC15-3.5 6in long w/ 3.5mm



## Swivel Receive Only

SWVLROC15-2.5 6in long w/ 2.5mm  
SWVLROC15-3.5 6in long w/ 3.5mm



## BRAIDED FIBER CLOTH

### Receive Only SnapLock

SL+ROS120-2.5 48in long w/ 2.5mm  
SL+ROS120-3.5 48in long w/ 3.5mm

See **SnapLock** System page



## KEVLAR


Cords on All Ear Pieces

# NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET

## HSHD+IEF

- Hi-Def premium sound
- Noise Cancelling Mic
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

 **knowles**  
Premium Speakers  
Engineered specifically  
for Voice Quality



### Mechanical On-Off to Ambient Noise

Ambient Noise Control  
On/Off Both Ears Tips



### Premium Noise Reduction Foam Tips

24.9 ~ 48.4 dB Reduction



### Noise Cancelling Boom Mic





# OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

## Single Side Lightweight Over the Head Headset

### HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



## Double Side Lightweight Over the Head Headset

### HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



## Lightweight Behind the Head Headset

### HSB

- In-line PTT
- Lightweight wire frame



## Lightweight H/D Behind the Head Headset

### HSBHD

- In-line round mushroom PTT with coil cable.
- Adjustable headstrap
- Heavy duty wire frame



## NEW HARD HAT Headset

- Lightweight heavy duty hard hat headset
- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

## NEW LIGHTWEIGHT PADDED Headset

- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!



Item # HS-PTTCAB



Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB



# NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

# NEW LIGHTWEIGHT FLEX Headset

NEW

Item # HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!



Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

## NEW SINGLE MUFF Headset

- Adjustable over head single ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

## NEW DOUBLE MUFF Headset

- Adjustable over head dual ear muff
- High quality noise cancelling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB
- Works with all radio models

Available Now!

Item # HS-PTTCAB



Noise Cancelling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24dB ~ 33dB

# BEHIND HEAD HEAVY DUTY HEADSETS




### PTT in Cable Headset **HS5**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - **HS5-CAB, NX-CAB**
- Available Colors   

### PTT on Ear Muff Headset **HS4**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately - **HS4-CAB, NX-CAB**
- Available Colors   

## Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling-directional mic
- SNR rating 33db H=33db M=32db L=24dB

### Volume and PTT on Headset **HS8**



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately - **HS4-CAB**

## KEVLAR

### Cords on Large Ear Muff



## Adaptor Options



**ADC-Y3-FL3.5** adaptor  
dongle to 3.5mm custom  
accessories



**AD-Y3-FL3.5** adaptor to 3.5mm  
custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series, eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.
- Customized connections promote customer return. Only LS3 earpiece accessories work with the adaptor and cannot be substituted with other vendor earpieces.



## Adaptor Earpiece Options

**Additional Adaptors Available**  
Inquire directly.

[See Adaptor Parts Page](#)



**AD-K1-K**  
Kenwood



**AD-M15-M**  
Motorola



**AD-M12-M**  
Motorola

Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory, disconnect quickly for charging the radio or quickly change between radios.

## Adaptor Options



**AD-K1-Hirose** - works with Kenwood radios



**AD-M12-Hirose** - works with Motorola MOTOTRBO radios



**AD-M3-Hirose** includes PTT and 3.5mm accessory port

[See on Adaptor Page](#)



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

## Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube



**AT1W-Hirose** 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

**AT2W-Hirose** 2-wire acoustic tube earpiece with clip-on PTT / microphone



**AT+1W-Hirose** 1-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with straight through in-line PTT / microphone with added shielding

**AT+2W-Hirose** 2-wire **BRAIDED FIBER CLOTH** acoustic tube earpiece with noise cancelling premium microphone and palm PTT

## SNAPLOCK SYSTEM



**SL+2W** - 2-wire **SnapLock BRAIDED FIBER CLOTH** with noise cancelling premium microphone and palm PTT Earpieces sold separately:

- SL-EB** - Ear Bud
- SL-EH** - Ear Hook
- SL-SWVL** - Swivel
- SL-DR** - D-Ring
- SL-DRA** - Adjustable D-Ring
- SL-AT** - Acoustic Tube
- SL-ATR** - Acoustic Tube Retail



**SMART DEVICE  
PUSH-TO-TALK  
AUDIO**



## Features

- Works with Android and IOS devices
- Systems: Wave, Zello, NPTT, ESChat, Zebra
- All cellular carriers

# **SNAPLOCK**

## **EARPIECE SYSTEM**

**SnapLock**  
1 Wire Base PTT  
**SL+SMART1**



**NEW**

### **BRAIDED FIBER CLOTH**

- Straight through in-line PTT & microphone
- With male **SnapLock** connector

**Speaker Mic**  
**SM7-SMART1**



**NEW**

- IP55 Water & Dust resistant
- Heavy gauge 4.2mm coiled cable
- 3.5mm Audio port for listen only earpiece
- Torch LED light on front with on/off button
- Replaceable lithium polymer 1500mAH battery
- Strong 360 degree rotating clip
- Volume control
- USB charging port
- Replaceable battery
- LED indicator
- Power on/off button



# SNAPLOCK

## EARPIECE SYSTEM



### SnapLock Covert Ear Tips

**SL-ET+2-W** - White

**SL-ET+2-B** - Black



NEW

### SnapLock In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip

**SL-HDIEF** - Foam Tip



NEW

### SnapLock Swivel

**SL-SWVL**



### SnapLock Bone Conduction

**SL-BC** - Hearing Aid



NEW

### SnapLock High-Def Acoustic Tube

**SL-ATHD+** - Knowles Speaker



NEW

### Indestructible Connector



### SnapLock Ear Hook

**SL-EH** - Standard

**SL-EHLG** - large speaker



### SnapLock D-Ring

**SL-DRA** - Adjustable

**SL-DR** - Standard



### SnapLock Acoustic Tube

**SL-AT** - Premium Acoustic Tube

**SL-ATR** - Economically Priced for  
retail and hospitality



**sonim**

**SNAPLOCK**

**EARPIECE SYSTEM**

XP5



**WORKS WITH ALL  
SONIM MODELS**



XP7

**SnapLock**  
1 Wire

**SL1W-SONIM**

- A straight through in-line PTT with microphone
- With male **SnapLock** connector



**NEW**

**BRAIDED FIBER  
CLOTH**

**SnapLock**

1 Wire

**SL+1W-SONIM**

- 90lb pull-strength
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male **SnapLock** connector



**NEW**

**SnapLock**  
2 Wire

**SL2W-SONIM**

- Clip-on PTT with microphone
- With male **SnapLock** connector



**NEW**

**KEVLAR**

Cords on All Ear Pieces

# SNAPLOCK

## EARPIECE SYSTEM



### **SnapLock** Covert Ear Tips

**SL-ET+2-W** - White

**SL-ET+2-B** - Black



**NEW**

### **SnapLock** In-Ear Hi-Def

**SL-HD+IEG** - Gel Tip

**SL-HDIEF** - Foam Tip



**NEW**

### **SnapLock** Swivel

**SL-SWVL**



### **SnapLock** Bone Conduction

**SL-BC** - Hearing Aid



**NEW**

### **SnapLock** High-Def Acoustic Tube

**SL-ATHD+** - Knowles Speaker



**NEW**



### **SnapLock** Ear Hook

**SL-EH** - Standard

**SL-EHLG** - large speaker



### **SnapLock** D-Ring

**SL-DRA** - Adjustable

**SL-DR** - Standard



### **SnapLock** Acoustic Tube

**SL-AT** - Premium Acoustic Tube

**SL-ATR** - Economically Priced for  
retail and hospitality



### Indestructible Connector



## Acoustic Tube Ear Tips



ETIP Skin/Black  
Clear 1, 2, 3  
10 or 100 Pack



Molded Ear Tips  
Flesh/Clear/Black  
S,M,L, Right/Left



EFIN Ear Fins Tips  
S,M,L, Right/Left



ETIP3-C - Clear  
10 or 100 Pack



ETIPHDG-MLMR  
Hi-Def ear tip



ETIP-FOAM Premium  
Noise Reduction ear tip  
24~48 dB  
1,10 or 100 pack



ETIP-FOAM & Plug  
Premium Noise Reduction  
ear tips  
24~48 dB



YELLERS Noise  
Reduction ear tip  
1,10 or 100 pack

## Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear  
Tips



B4TUBESET - Clear  
Tips Surgical Tubing



Acoustic Tube only  
Clear/Black



TUBESET with Clear  
Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B

### Headset Mic Foams and Ear Pads



ESSB-10 -Black - for  
Ear Hook - 10 pack



MICMB - mic sponge  
HSB, HSS, HSBHD &  
HSD - 1 pack/10 pack



MICLB - mic sponge  
HS4, HS5, HS7, HS8  
1 pack/10 pack



DRATIPB - adjustable  
D-Ring - 2 pack/10 pack



EMEGPAD - gel pad  
HS4, HS5, HS7, HS8



HSLWEP - earpad  
HSS & HSD



CLIP - fits 2.0mm &  
2.5mm cable



CLIPA - 2.0-3.8mm  
cable



ATHDCLIP



FPTT - Wired  
Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7  
Replacement Battery



## Adaptors



AD-M12-M  
Motorola



AD-M15-M  
Motorola



AD-M4-M  
Motorola



AD-M5-3.5  
Motorola



AD-K1-K  
Kenwood



AD-Y3-FL3.5  
Vertex



AD-I-S2  
Icom



ADC-Y3-FL3.5  
Vertex

## HIROSE



AD-M3-HIROSE  
Motorola



AD-M15-HIROSE  
Motorola



AD-M12-HIROSE  
Motorola



AD-K1-HIROSE  
Kenwood

**Call for options  
on non-US-stocked  
adaptors**

### Battery Clips



BC1 - Clip for CP110  
and RDU2080



BC2 - Clip for CP200



BC3- Clip for HT750  
and HT1250



BC4 - Clip for Motorola  
XPR6550



BC5 - Clip for Motorola  
XPR3500 and XPR7550

**Call for options  
on non-US-stocked  
clips**

### Speaker Mic Clips



SM2CLIP- replacement  
clip for SM2, SM4 & SM4W



SM3CLIP- replacement  
clip for SM1 & SM3



SM6CLIP- replacement  
clip for SM6



PMCLP - replacement clip  
for Palm Mics











Image	Part no.	Model
<b>Bendix King / Relm</b>		
	BK1	DPH, LPH, GPH
	BK2	KNG
	K	RPU416, RPV516, RPU499, RPV599X, RPV516A, RPV599A Plus, RPU416A, RPU499A Plus, RPU4200
	M	Relm RP6500
	M5	RPV3000/3600/RPU3000/3600/3300C, RPV7200/7500
<b>EF Johnson</b>		
	M3	Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-NetAscend ES Series, AN/PRC 127EFJ
<b>Harris</b>		
	H6	HDP100, HDP150, HDP250 Momentum
	H7	HDP250
	HR1	LPE200, Prism
	HR2	P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-15, XG-25, XG-75







Image	Part no.	Model
<b>Hytera</b>		
	H4	(PD400 series) BD-502, PD412, PD-502, PD-562, TC500, TC508, TC518, TC580, TC600, TC610, TC620, TC700, TC700PT, TC700EX, TC1600, TC2100
	H5	TC320
	H6	PT-580, PD-702, PD-752, PD-782, PD-785, PD982
	H7	PD-602, PD-662, PD-682, X1e, X1p, Z1p
	H8	BD302, PD352, PD362
	M5	TC-610P, TC700P, TC-780, TC-780P, TC-780M - Note: the M5 and H1 are not the same connector












Image	Part no.	Model
<b>Icom</b>		
	S2B	IP-100H
	S3	IC-F3G, IC-F3GS, IC-F4G, IC-F4GS, IC-F11, IC-F21, IC-F14, IC-F14S, IC-F24, IC-F24S, IC-F31, IC-F33G, IC-F43G, IC-F43TR, BC100, IC-F3001, IC-F3011, IC-F3021, IC-F3021S, IC-F3021T, IC-F3031S, IC-F3101D, IC-F3210D, IC-F3230DT, IC-F4001, IC-F4011, IC-F4021, IC-F4021S, IC-F4021T, IC-F4031S, IC-F4101D, IC-F4210D, IC-F4230DT
	S3B	IC-F1000D, IC-F1000T/S, IC-F2000, IC-F2000D, IC-F3031S, IC-F3230DT/DS, IC-F4031S, IC-F4230DT/DS, F31W/41W, V88
	i2	IC-F50, IC-F51, IC-F60, IC-F61, IC-F30G, IC-F30GT, IC-F30GS, IC-F31GS, IC-F31GT, IC-F40G, ICF40GS, IC-F40GT, F70, F80, M87 / 88, IC-F3061 Series, IC-F4061 Series, IC-F3161 Series, IC-F4161 Series, IC-F31, IC-F41G, IC-F50V, IC-F60V
	i4	IC-F3261/4261, IC-F3360/4360, IC-F3400/4400DT/DS/D, IC-F5400/6400D/DS, IC-F9011/F9021

Image	Part no.	Model
-------	----------	-------

## Kenwood

	K	TK-170, TK-208/308, TK-220/320, TK-240/340, TK-240D/340D, TK-248/348, TK-250/350, TK-260/360, TK-260G /360G, TK-270/370, TK-270G/370G, TK-353, TK-372, TK272G, TK-373, TK-430, TK-431, TK-2100/3100, TK-2130 /3130, TK-2160/3160, TK-2170/3170, TK-2173, TK-2180/3180,TK-2200, TK-2202/2302, TK-2212/2312, TK-2300, TK-2360,TK-2400/3400, TK2402/3402,TK-3173, TK-3200/3201/3202, TK-3212, TK-3230, TK-3350, TK-3360, NX220/320, NX240/340, NX420
	K1	TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210, TK-5220, TK-5310/5410, TK-5320/5420, TK-5400, NX-200, NX-210, NX-300, NX-3200, NX3300, NX410/411, NX-5200, NX-5300, NX-5400
	K2	PKT23
	KM	Kenwood Mobile

## Maxon / TecNet




	M	TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	TPD-1116, TPD-1416, TPD-1124, TPD-1424
	M14	TPD-8124, TPD-8424










Image	Part no.	Model
<b>Motorola</b>		
	M Digital Ready	CP88, CP100, CP110, CP150, CP200, CP200XLS, CP200d, CP450, CT150, CT250, CT450, CT450LS, GP2000, GP300, GP308, GP68, GP88, GP2000, BC120, GTI, GTX, LTS2000, PR400, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, MAG ONE/BPR40, BC90, CP125, CP185, DTR Series, GP280, CLS1110, CLS1410, BC10, BC130, GP350 (requires Motorola adaptor HLN9482)
	M3	HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838
	M4	HT1250, HT1250LS, HT1550, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, MTX950, PR860
	M5	EX500, EX560-XLS, EX600, EX600-XLS
	M12	MOTOTRBO- APX1000, APX4000, APX6000, APX7000, APX8000, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e
	M14	SL300, SL7550e, SL7580e, SL7590e
	M15	XPR3300e, XPR3500e
	M17	CLP1040, CLP1010, CLP1060

Image	Part no.	Model
-------	----------	-------


## Sepura

	SP2	STP8000, STP9000, STP9100, STP9200 and SC20 Series
---	-----	--




## Tait

	TA	TP8100 series, TP9400 series
---	----	------------------------------

## Tekk

	M Digital Ready	XU100, XV100, XU1000, XV1000
---	-----------------------	------------------------------

## Vertex Standard

	Y3	VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX231, VX261, VX264, VX300, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459, BC95, eVX-261, eVX531, eVX534, eVX539
	Y5	VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	eVX-S24